

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:	Mark R. Frye et al.
Serial No.:	10/658,793
Date Filed:	September 10, 2003
Group Art Unit:	3743
Examiner:	Patel, Mital B.
Title:	<b>HIGH EFFICIENCY LIQUID OXYGEN SYSTEM</b>

**MAIL STOP – AMENDMENT**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Dear Sir:

**RESPONSE TO OFFICE ACTION**

In response to the Office Action mailed September 21, 2006, Applicants respectfully submit the following amendments set forth below and request favorable action thereon.

**Amendment to Attorney Docket No.** begins on page 2 of this paper.

**Amendments to Claims** are reflected in the listing of claims which begins on page 3 of this paper.

**Remarks/Arguments** begin on page 8 of this paper.

An **Appendix** including amended drawing figures is attached to the end of this paper.

ATTORNEY DOCKET  
076041.0155

PATENT APPLICATION  
10/658,793

2

**ATTORNEY DOCKET NO.**

**ATTORNEY DOCKET NO.**

Applicants respectfully request correction of the Attorney Docket No. in the United States Patent Office records. Please replace with Attorney Docket No. --**076041.0155**--.